









- 1. BQT Solutions Finger Biometric Readers
- 2. miPASS Overview.
- 3. Stand Alone Biometric Kits
 - 4. Equipment and wiring diagram.
 - 5.Pack 1 and 2
 - 6. Pack 3 and 4
 - 7. Pack 5 and Kit Summary
 - 8. Pack Specification Guide
- **9. Custom and C.O.T.S Readers Overview** 10.. Output and configuration
- 11. miPASS Access TMS Software Managed Systems
 - 12. Configuration Diagrams
 - 13. miPASS Access TMS Software
- 14. Ordering Information SABIO and Custom Units
- 15. Ordering Information MABIO units and software
- 16. Iris Recognition Biometrics
- **17. Facial Recognition Biometrics**






Biometric Readers

BQT Solutions Biometric readers are available in two model variants, The BIO-X (without Keypad) and the BIO-XK (with Keypad.

Features of both units include,

- Indoor and Outdoor use IP65 Rating.
- Rugged and Robust design.
- High Accuracy 1:N and 1:1 throughput.
- Multiple methods of Template Management.
- High Speed of throughput.
- Stand alone door capability.
- RS485 to TCP/IP converter available.
- Available with Custom or miPASS encryption.
- HSM available for encrypted RS485 communications.
- Programmable function keys.





BIOXK Up to 3 factor Authentication with Card, PIN and Fingerprint



miPASS))2







Secure "off the shelf" card readers

All of BQT Solutions Biometric Finger print readers come standard with card readers built in. All of our BIO Packs are standard with miPASS 2 enabled readers.

What is miPASS?

- miPASS[®] is BQT Solutions' own range of Secure Smart Card and Reader Systems which we believe is simply the best in the market today.
- We have designed and developed our miPASS[®] smart card and reader systems using leading MIFARE[®] Technology and industry recognised encryption standards. The choice of two leading technologies means that miPASS[®] users can gain assurance that their assets, people, IP and data are receiving the best means in keeping safe and secure.
- miPASS[®] offers off the shelf convenience and cost effective, effortless secure access control for use in any access application right through to critical sensitive sites.
- Our miPASS®3 system is based on secure MIFARE® DESFire EV1® technology using 3DES encryption and offers high security for all access control applications.
- miPASS[®]2 is based on secure MIFARE Classic[®] technology using Crypto1[®] encryption and offers medium security for access control applications where risk vs economics is relevant








Stand Alone Kits


- miPASS[®] Bio kits include a BOIX/XK reader, SARM and set up cards, when coupled with ancillaries they provide a low cost flexible single or multi-reader Biometric access control solution.
- Whether the requirements are for a single reader or multiple readers, miPASS[®] Bio provides a unique solution for any organisation big or small.
- miPASS[®] Bio is available in several kit options to cater for the budget and operational requirement a site may have. miPASS[®] Bio kits are simple to install and manage, providing secure access for 50-500 users. Set up, enrolment and deletion of a user or group of users is completed with either an administration card, PIN or combination. No software or additional controllers are required. User details or stored on either the device or encoded on to the card.
- miPASS[®] Bio kits are supplied with a single door controller allowing autonomous operation and control over any locking mechanism. The controller (SARM) monitors for door alarms and tampering of the unit as well as providing ingress and egress control. miPASS[®] Bio kits are ideal for adding secure Biometric security within an existing solution or for securing any residential or commercial site.
- All SABIO Packs have **miPASS**) 2 card readers built in.
- Pack Summary,
 - BQT4300, Finger only, manage user with ADD/DELETE user cards
 - BQT4310, Finger only, manage user with PIN
 - BQT4320, PIN & Finger
 - BQT4330, Card & Finger
 - BQT4350, Card & PIN & Finger
- There is no Audit Trail Available on SABIO Packs
- Each reader acts as a Read/Write device making user enrolment and template encoding possible from any reader. A remote fingerprint enrolment unit can be used for template on card.





Stand Alone Kits









Pack 1

- Product Features & Specifications
- Maximum of 50 users
- Two templates (fingers) recommended for each user
- User templates encrypted and stored in the scanner database
- 1:n template matching
- User enrolment and maintenance directly on scanner
- Ideal for small applications
- Add One user, Delete All users VIA Add/Delete Cards
- Designed for easy installation, setup and maintenance
- Reliable, secure and economical

Single Door Pack Includes:-1 x BioX Fingerprint Biometric Scanner 1 x SARM-S 2 x Add User Cards 2 x Delete User Cards 1 x User Manual Part No: B2117G682000



Summary,

- Finger Only
- Enrol with Enrolment Card
- Delete All user and re enrol remaining users

Pack 2

- Product Features & Specifications
- Maximum of 50 users
- Two templates (fingers) recommended for each user
- User templates are stored in the scanner database
- 1:n template matching
- User enrolment and maintenance directly on scanner
- Ideal for small applications
- Add One User, Delete One User, Delete All Users <u>VIA Master PIN</u>
- Designed for easy installation, setup and maintenance
- Reliable, secure and economical

Single Door Pack Includes:-			
1 x BioX Fingerprint Biometric Scanner			
1 x SARM-S			
1 x User Manual			
Part No: B2117G682001			



Summary,

- Finger Only
- Enrol with master PIN
- Delete Individual users





....

Pack 3

- Product Features & Specifications
- Maximum of 50 users
- Two templates (fingers) recommended for each user
- User templates encrypted and stored in the scanner database
- 1:1 template matching
- 2- factor authentication Bio + PIN
- User enrolment and maintenance directly on scanner
- Ideal for small applications
- Add One User, Delete One User, Delete All Users VIA Master PIN
- Designed for easy installation, setup and maintenance
- Reliable, secure and economical

Single Door Pack Includes:-1 x BioX Fingerprint Biometric Scanner 1 x SARM-S 1 x User Manual Part No: B2118G682000 Summary,

- Finger and PIN (Verifier) Always need to use both
- User has PIN reference
- Enrol with master PIN
- Delete individual user with Master PIN
- Multiple units setup with on setup card

Pack 4

- Product Features & Specifications
- Maximum of 500 users
- Two templates (fingers) recommended for each user
- User templates encrypted and stored on the user's Card
- 1:1 template matching
- 2- factor authentication Card + Bio
- User enrolment through scanner
- Additional units can be configured into one system via use of one Configuration Card
- Ideal for small applications
- Add One user, Delete One user, Delete All users VIA Master PIN
- Designed for easy installation, setup and maintenance
- Reliable, secure and economical

Single Door Pack Includes:-1 x BioXK Fingerprint Biometric Scanner 1 x SARM-S 1 x miPASS bio 1k Cards Convenience Pack (20) 1 x Configuration Card 1 x User Manual Part No: B2119G682000



Summary,

- Finger and Card (Verifier) Always need to use both
 User has Card reference
 - User has Card reference
- Enrol with master PIN
- Delete individual user with Master PIN
- Multiple units setup with on setup card.





Pack 5

Product Features & Specifications

- Maximum of 500 users
- Two templates (fingers) recommended for each user
- User templates and User Pin are encrypted and stored on to the user's Card
- 1:1 template matching
- 3- factor authentication Card, PIN & Bio
- User enrolment through scanner
- Additional units can be configured into one system via use of one Configuration Card
- Ideal for small applications
- Add One user, Delete One user, Delete All users VIA Master PIN
- Designed for easy installation, setup and maintenance
- Reliable, secure and economical

Single Door Pack Includes:-1 x BioXK Fingerprint Biometric Scanner 1 x SARM-S 1 x miPASS bio 1k Cards Convenience Pack (20) 1 x Configuration Card 1 x User Manual Part No: B2120G682000



Summary,

- Finger, PIN and Card (Verifier)
- Enrol with master PIN
- Delete individual user with Master PIN
- Multiple units setup with on setup card

BQT Solutions Stand Alone Biometric Kits include,

- 1 x BIO-X or BIO-XK Fingerprint Biometric Scanner
- 1 x Stand Alone Relay Module
- 2 x Add User Cards } only for units without a keypad
- 2 x Delete User Cards J
- 1 x User Manual





Specification KEY 50 users 500 users Delete All Add user Delete user ŧ † x50 +1 🛉 -1 🛉 -AII x500 Device reads Device reads Device reads PIN CARD FINGER User data User data Program and SET-UP Program and SET-UP ų niPASS method = PIN on CARD on DEVICE method = CARD AII x50 П Pack 1 - BQT4300 -AII -1 🛉 +1 🛉 x50 П Pack 2 – BQT4310 +1 🛉 -1 🛉 -AII ¶ x50 П Pack 3 - BQT4320 -1 🛉 +1 🛉 -All niPASS x500 П Pack 4 - BQT4330 +19 -1 🛉 -AII ų x500 Pack 5 – BQT4350



Custom and miPASS readers

"Wiegand Output Readers"


- BQT manufacture a range of Biometric readers for simple connection with either BQT or third party control systems. Using either industry standard Weigand communications or more secure encrypted communication formats a simple 4 wire connection is all that is required.
- All devices are variations of the BIO-XK or the BIO-X reader designs, creating a uniform appearance and similar operation across the range.
- Each reader acts as a Read/Write device making user enrolment and template encoding possible from any reader.
- BIO-XK/X readers are factory configured and set to two fixed authentication options. These are Dual or Triple authentication (Finger on card) or (PIN, Finger on card) known as Template on card.
- Custom readers offer additional options such as Indexed. Indexed means that user data is stored in the reader itself, where as, Card template means that if used, all data is held on the users card and not stored elsewhere. Options for Card selection are broad and include the range of MIFARE options from CSN (Card Serial Number) through to DESFire.





BIOMETRICS

- The standard or Custom range of BIO-X/XK reader are designed for integration with most third party system or as a standalone solution.
- The readers are typically configured for template on card or template on device. (Note. Most MIFARE card technologies are compatible) (BIO-X = Card and Finger/Finger only) (Bio-XK = Card, PIN and finger/ Card and Finger/PIN and Finger)
- Communication between the reader and the controller can be Weigand (Multiple formats) or via other encoded formats via the RS485 output. Standalone function for controlling a single door is also possible with the addition of a SARM module and offers secure additional access control





Software Managed Readers


miPASS)) Access () тмs


- The IP miPASS Access TMS (Template Management Software) and miPASS Access enabled readers (MABio-X/XK) offer easy stand alone operation or 3rd party controller integration with management of user templates.
- MA readers allow organisations to select the method of authentication required for an individual staff member or visitor to gain access to a particular area(s). This feature provides significant flexibility when compared to conventional readers, where fixed authentication presents limited security options.
- Authentication can be done through BIO (Finger), Card, PIN or any combination desired.
- The miPASS TMS allows any reader to be used as an enrolment device as well as an operational device. Once enrolled on the TMS users can be uploaded to any MABio reader as required.
- MABio readers are extremely versatile and can operate autonomously or as part of a network solution. Stand-alone operation requires the use of BQT Solutions door module (SDC) and can operate as an Online/Offline solution with an activity memory of 5000 events.
















BIOMETRICS

miPASS) Access TMS is BQT's Biometric access control system based on IP connectivity and biometric security. BIO X/XK devices work not only as a reader for multiple types of credentials, but also as an intelligent controller removing the need for a traditional controller.

miPASS))Access TMS offers key features that allow users to extend the system beyond conventional access control systems with useful employee management features that allow administrators to,

- > Define time, shifts, daily schedules and holidays.
- > Administer employees to comply with "On Site" and "Off Site" procedures.
- > Restrict access to off-duty employees and generate attendance reports.
- > Ability to generate a variety of reports including attendance and


DISTRIBUTED ACCESS CONTROL

User Management Door management Access Managment

ADVANCED ACCESS CONTROL

Device Management Template Management Zone Managment

TIME AND ATTENDANCE Monitor Attendance Hours worked calculations Holiday Leave and Shift Management







Reader BQT Part Number		STAND ALONE KITS SABIO-X/K			
	B2117G682000	MP2 BioX Standalone Finger Biometric Pack - Kit 1 Standalone Finger Biometric Pack,50 user, miPASS [®] 2, Template on unit, SARM-S, Add / Delete all cards (BioX), includes door lock relay.			
	B2117G682001	MP2 BioXK Standalone Finger Biometric Pack - Kit 2 Standalone Finger Biometric Pack,50 user, miPASS®2, Template on unit, SARM-S, Add / Delete Individual user / Delete all users (BioXK), includes door lock relay.			
	B2118G682000	MP2 Standalone Finger & PIN Biometric Pack - Kit 3 Standalone Finger & PIN Biometric Pack,50 user, miPASS®2, Template & PIN on unit, SARM-S, Add / Delete all cards (BioXK) includes door lock relay.			
	B2119G682000	MP2 Single Door Finger & Card Biometric Pack - Kit 4 Single Door Finger & Card Biometric Pack,500 user, miPASS [®] 2, Template encrypted on user card, SARM-S, (BioXK) includes door lock relay. Multiple packs may be added as a system.			
	B2120G682000	MP2 Single Door Finger & Card & PIN Biometric Pack Kit 5 Single Door Finger & Card & PIN Biometric Pack,500 user, miPASS [®] 2, Template & PIN encrypted on user card, SARM-S, (BioXK) includes door lock relay. Multiple packs may be added as a system.			

Reader	BQT Part Number	Off the shefl Mifare Classic and Mifare DESFire ("Wiegand Output") Kits	Price			
1000	B9122G000000	BIO-XK miPASS2 Reader (Template/PIN on Card)				
	B9122000000	miPASS2 - MIFARE Classic Secure Smart Card and Reader System, IP65				
		The ASS2 - With ARE classic secure smart card and Reduce system, it us				
	B9124G000000	BIO-XK miPASS 3 MIFARE DESFire Reader (Template/PIN on Card)				
		miPASS3 - MIFARE DESFire Secure Smart Card and Reader System, IP65				
	B9102G000000	BIO-X miPASS2 Reader (Template on Card)				
* *		miPASS2 - MIFARE Classic Secure Smart Card and Reader System, IP65				
	B9104G000000	BIOX-X miPASS 3 MIFARE DESFire Reader (Template on Card)				
		miPASS3 - MIFARE DESFire Secure Smart Card and Reader System, IP65				
Custom Encry	ption and Output R	eaders are available, please talk to your sales contact for pricing and further info	rmation.			





Reader	ader BQT Part Number Software Managed BIO reader Kits					
	B2121G681000	BIOX-1 miPASS Access Kit				
		Package:MABioX-1 miPass Access Kit: 1 x MABioX-1 Charcoal (Mifare® CSN 32 bit), with TCP/IP-485 Converter and miPass Access Software				
	B2121G682000	BIOX-2 miPASS Access Kit				
		Package:MABioX-2 miPass Access Kit: 1 x MABioX-2 Charcoal (Mifare® Classic®, Crypto-1, miPass 2, 32 bit), with TCP/IP-485 Converter and miPass Access Software				
	BIOX-3 miPASS Access Kit					
		Package:MABioX-3 miPass Access Kit: 1 x MABioX-3 Charcoal (Mifare® Classic®, Crypto-1, Custom key & output format), with TCP/IP-485 Converter and miPass Access Software				
	B2121G684000	BIOX-4 miPASS Access Kit				
		Package:MABioX-4 miPass Access Kit: 1 x MABioX-4 Charcoal (Mifare® DESFire® EV1, 3DES, miPass 3, 32 bit), with TCP/IP-485 Converter and miPass Access Software				
	B2121G686000 BIOX-6 miPASS Access Kit					
		Package:MABioX-6 miPass Access Kit: 1 x MABioX-6 Charcoal (Mifare® Classic®, Mifare Plus ®, DESFire® EV1, Crypto-1, DES, 3DES, AES128, Custom key & output format), with TCP/IP-485 Converter and miPass Access Software				
	B2122G681000	BIOXK-1 miPASS Access Kit				
	Package:MABioXK-1 miPass Access Kit: 1 x MABioXK-1 Charcoal (Mifare® CSN 32 bit), with TCP/IP-485 Converter and miPass Access Software					
00000	B2122G682000	BIOXK-2 miPASS Access Kit				
		Package:MABioXK-2 miPass Access Kit: 1 x MABioXK-2 Charcoal (Mifare® Classic®, Crypto-1, miPass 2, 32 bit), with TCP/IP-485 Converter and miPass Access Software				
	B2122G683000	22G683000 BIOXK-3 miPASS Access Kit				
		Package:MABioXK-3 miPass Access Kit: 1 x MABioXK-3 Charcoal (Mifare® Classic®, Crypto-1, Custom key & output format), with TCP/IP-485 Converter and miPass Access Software				
	B2122G684000	BIOXK-4 miPASS Access Kit				
		Package:MABioXK-4 miPass Access Kit: 1 x MABioXK-4 Charcoal (Mifare® DESFire® EV1, 3DES, miPass 3, 32 bit), with TCP/IP-485 Converter and miPass Access Software				
	B2122G686000	BIOXK-6 miPASS Access Kit				
		Package:MABioXK-6 miPass Access Kit: 1 x MABioXK-6 Charcoal (Mifare® Classic®, Mifare Plus ®, DESFire® EV1, Crypto-1, DES, 3DES, AES128, Custom key & output format), with TCP/IP-485 Converter and miPass Access Software				





Iris Recognition

BQT Solutions also offer the IRISID Iris Recognition products. Iris recognition solutions provide highly accurate, noncontact identification by the iris of the eye from 14 inches away while delivering security, convenience, privacy and productivity to millions of people around the world. The iCAM7000's versatility and flexibility allows for easy integration with many Wiegand and network based access control, time and attendance. visitor management and point of sale applications.



The iCAM7 series has features no other is system offers that enable rapid iris acquisition with greater image collection for superior enrollment and recognition.

- High Accuracy 1:N and 1:1 Capability
- High Speed High Throughput
- Exceptional Flexibility and Ease of Integration
- Non-contact Clean and Hygienic

Features

- Fast Fully Automatic Dual Iris Capture
- Easy Non-intrusive, Non-contact User Interface
- Integrated High Resolution Face Capture Camera
- Integrated Contactless Smart Card Reader
- Leverage Existing Infrastructure
- Capacity for Optional Third-party Surveillance Camera
- Easy Installation and Maintenance
- Remote Management
- Stand-alone Door Access Capability
- Flush or Recess Mounting
- Capable of 1:N Matching of Millions Depending on Architecture



BIOMETRICS

Facial Recognition

BQT Solutions facial recognition unit operates on a standalone or networked format integrating with leading Access Control solutions. Guest PIN and a SILENT alarm output can be programed if required. User Management is accessed easily through the device head or via software supplied with the unit

- Facial enrolment time for a user takes approximately 15 seconds with less than 250ms to authenticate a user.
- Users can be enrolled wearing glasses in most instances, where extreme circumstances exist the Reader will request their removal automatically.
- Over 2000 points are analysed by the device providing a low false read rate and high accuracy rate.
- The control unit provides a number of output options including Wiegand and RS485 and integrates to any Access Control System with the same level of flexibility a standard reader would provide.
- The controller also monitors and controls a number of functions including Lock time, DOTL, Forced door and access to an event log relating to the system or a specific user.
- User details for authentication can be either stored on the unit or on a separate data base. Management and use of the unit is spread across three categories from simple access us to set up and operational management.



Reliability & Support

'A reliable Access Control System is a critical part of an organisation's risk mitigation'

We know the importance of an access control system that works 24/7, 100% of the time and this is why we have developed our products to offer leading edge technology with reliability, quality design and best manufacturing.

We also provide reactive high level after sales support to help ensure that you get the best from our products.



Contact us today.

AUSTRALIA & PACIFIC	UK & EUROPE	MIDDLE EAST	GREATER ASIA	NORTH & SOUTH AMERICA
Phone: +61 (0)2 8817	Phone: +44 (0) 17 3773			
2800	5071	Phone: +971 4 434 5357	Phone: +65 6220 7970	Phone: +1 650 397 6222
Fax: +61 (0)2 8817 2811	Fax: +44 (0) 17 3773 5072	Fax: +971 4 439 3406	Fax: +65 6220 7656	
Email:	Email:	Email:	Email:	Email:
		salesme@bqtsolutions.	salesasia@bqtsolutions.	sales a merica@bqtsolutions.c
sales@bqtsolutions.com	salesuk@bqtsolutions.com	com	com	om

www.bqtsolutions.com